



Lifeboats



Flood Safety Manual

NOVEMBER 2017

DEVELOPED FOR LOW-RESOURCE AREAS

About this manual

The RNLI *Flood Safety Manual* contains essential skills, knowledge and guidance for those operating in a flood environment.

The resource is designed for organisations based in areas with limited access to equipment. It is a guidance document and can be adapted to suit your local conditions.

The *Flood Safety Manual* has been compiled by the RNLI, the charity that saves lives at sea.

This manual will be reviewed after 3 years. Please send any comments and feedback to: international@rnli.org.uk

November 2017

Piloted and developed by:



Royal National Lifeboat Institution
West Quay Road
Poole
Dorset
BH15 1HZ
England

Telephone: +44 (0) 1202 663000
Web: RNLI.org
Email: international@rnli.org.uk

The RNLI is a charity registered in England and Wales (209603) and Scotland (SC037736). Registered charity number 20003326 in the Republic of Ireland.

This document may be reproduced without the prior consent of the RNLI. The RNLI takes no responsibility for any outcomes as a result of this manual.

Photos: RNLI/Mike Lavis, Shutterstock

Disclaimer

The content of this manual is for general guidance only. It represents best practice as at the date of publication and should not be considered as legal advice. Those using this manual should seek professional advice as and when necessary. The RNLI does not accept responsibility for any errors in this document.

Unit 1: Planning for floods	1
1.1 Developing a plan	2
1.2 Developing a site-specific plan	4
1.3 Stop, Think, Act, Review	5
Unit 2: The study of water	6
2.1 Water flow	7
2.2 Speed of water flow	7
2.3 How objects affect water flow	9
Unit 3: Hazards	11
3.1 Types of hazard	12
Unit 4: Equipment	15
4.1 Personal protective equipment (PPE)	16
4.2 Rescue equipment	19
Unit 5: Communications	21
5.1 Hand signals	22
5.2 Whistle signals	23
5.3 Radios/mobile phones	24
Unit 6: Boats and other craft	25
6.1 Stability	26
6.2 Getting in and out of a boat	27
6.3 Paddling techniques	28
6.4 Capsize	29

Unit 7: Self-rescue	30
7.1 What you should do if you enter the water	31
7.2 Escaping from a strainer	32
7.3 Wading	33
Unit 8: Rescuing others	36
8.1 Flood rescue options	37
8.2 Shout and signal rescue	38
8.3 Reach rescue	39
8.4 Throw rescue – with a floating object	40



Learning outcomes

- 1.1 Understand the factors that need to be considered during the planning stage.
- 1.2 Understand how to develop a site-specific plan.
- 1.3 Understand Stop, Think, Act, Review.

Unit 1: Planning for floods

1.1 Developing a plan

Operating in a flood environment can be extremely hazardous. Before entering a flooded area it is important that the team understands the hazards, and the capability and capacity of their team to work in the area.

A plan should be developed before incidents happen and then used during the incident.

Firstly, the area of response must be defined before identifying any hazards present and developing a plan. Key questions that should be answered include:

- How big is the area?
- Are there any land-based hazards?
- Are there any water-based hazards?
- If the area covers agricultural or industrial lands, are livestock, chemicals and slurry going to be hazards?
- Who are the people living in the area? Do they need to be evacuated? Is there an evacuation plan?

Managing the response

Once your plan has identified any hazards, you can identify the necessary personnel, training and equipment:

Personnel

Who is available?

Having the appropriate number of competent people in the right place at the right time is essential for an efficient and effective response.

Training

What training is needed?

Personnel should have the correct training for the environment they are working in. A plan can help establish what kind of training might be needed.

Equipment

Do the trained personnel have the correct equipment?

Trained personnel should have the necessary equipment to remain safe and be able to perform tasks when on scene.



Logistics

Once the basics of the plan are established, consider other aspects:

Mutual aid

Are other relevant departments or organisations working in the area?

If so, they may be able to share equipment, personnel or knowledge (such as where hazards or people are located).

Communications

How do the teams communicate with each other and with those in command?

Effective communication within teams, between teams and back to the command structure is vital to ensure everyone is aware of what activities are happening. It is also important to identify what communications equipment is available, whether it is suitable for the environment (such as being waterproof), and whether it is able to fully cover all areas of operation. Areas where communication may be difficult should be made known to all the team.



Welfare

How can you ensure the welfare of the responders?

Provision of refreshments and rest facilities are critical to the welfare of the responders, and of any casualties. Without appropriate welfare provisions, team motivation may drop, leading to ineffective rescues.

Shelter

Is shelter from bad weather available?

Having a safe and dry area is not only important for the welfare of the responders, but also the welfare of any evacuated or rescued people.



An easily accessible shelter may also be used to house the Silver Command close to the scene.

Transportation

What kind of transportation is available?

Responders and other personnel will need to be transported to, from and around the flood environment. Clear transportation routes – with back-up plans – should be mapped and a list should be made of the vehicles required.



Unit 1: Planning for floods

1.2 Developing a site-specific plan

A site-specific plan provides local information to the response team.



The following information will be required to make a site-specific plan:

- use local knowledge for the layout of the area and local hazards
- location of hazards, incidents and response teams/RVs (meeting points)
- detailed maps and plans of the local area
- access routes/egress
- communication issues, such as areas with no signal
- specific risks, such as dams or weirs
- special equipment requirements for the location
- team response plan – who will do what
- specialist training requirements for the response team
- who are you helping?



1.3 Stop, Think, Act, Review

Stop

- Assess the task you are about to undertake.

Think

- How will you undertake your task?
- What equipment will you need?
- Are there any hazards that will affect you or your team?
- Will you need further assistance?

Act

- Carry out the task.
- Continue to assess the risks while undertaking the task.

Review

- Record the task.
- Could anything have been done differently?
- Was the equipment used appropriately?
- Were the right decisions made?

Unit 2: The study of water



Learning outcomes

- 2.1 Know about the flow of water and common terminology within the flood environment.
- 2.2 Understand why water flows at different speeds.
- 2.3 Know how objects affect water flow.

2.1 Water flow

Swift-flowing water tends to be:

Powerful

Even when moving at only a few metres per second, water flow can create an incredible force on small surfaces like your legs. At higher speeds, it can be impossible to fight against. Where possible, use the flow to your advantage.

Relentless

The water will continue to flow and will not let you go until it recedes. With the help of experience and weather forecasting, it is possible to predict where the flow will go, how it will react, and even how long it will last for.

Lazy

Water will always take the easiest route possible.

Orientation


It is important to use common terminology when operating in a flooded environment.

When we refer to water flow we use the terms:

- **upstream** – the direction the water is flowing from
- **downstream** – the direction the water is flowing to
- **river right** – the right side of the channel when you are looking downstream
- **river left** – the left side of the channel when you are looking downstream.

2.2 Speed of water flow

Water always flows in straight lines, which means that the flow of water is always faster on the outside of the bend and slower on the inside of a bend.




- Slow water flow
- Medium water flow
- Fast water flow

Unit 2: The study of water

The cross-section of the flow (illustrated below) shows water flows at different speeds, depending on how close it is to the riverbed or bank. The fastest flow will be in the centre near the surface.

The closer the flow is to the edges, the slower it will flow due to the friction with the riverbed. The friction generated between the riverbanks, large objects in the water (such as people) and the main flow sends the water into a corkscrew effect. The effect is to push objects, or you, away from the bank.




2.3 How objects affect water flow

Objects in the water will change the water flow.


Cushion wave

An object that is higher than the water level will form a cushion wave on its upstream side. The water pushes up and against the object before falling away to the sides. Stay away from the cushion wave to avoid getting trapped.



Standing wave

If water flow increases, a cushion wave will change to a standing wave. A standing wave indicates that there is an object under the surface of the water. Water is pushed up and over it and creates turbulent water. Be aware that there will be a hazard below a standing wave.




Eddy

This is an area of circulating water out of the main flow, identified by the slow swirling motion.


An eddy generally represents a safer area out of the flow, which can be used for a rest or as a safe place to plan a rescue.

The lines between the eddy and the flow is called the eddy line.



Wave train

A series of standing waves is known as a wave train.



Unit 2: The study of water


Upstream V

Once water has hit the upstream side of an object (forming a cushion wave), it then flows out, past the object, creating a V shape pointing upstream.

Downstream V

A downstream V is found between two objects in the water. This is an area of faster flow.


Any object in the flow will be pulled into this faster flowing water.



Hydraulic

Water flowing over an object creates a circulation downstream of it. The boil line shows where the circulation ends.

This circulation can be dangerous as it can hold an object or person.





Learning outcomes

- 3.1 Understand what hazards there are and how to reduce the risks associated with them.


3.1 Types of hazard

The flood environment can have many different types of hazards that a responder should be aware of.

Weather


The weather can cause floods. Areas that were previously easily accessible may be inaccessible following heavy rainfall.

If there's fog, visibility will be limited.



Tides


Natural waterbodies can change very quickly depending on the tides. High tides can cause coastal flooding and make rivers unable to cope with the amount of water they are carrying.



Water speed

Even when moving at only a few metres per second, water flow can have an incredible force even on small surfaces like your legs.

At higher speeds, it can be impossible to fight against moving water.



Water temperature

Water temperature can be a hazard both to the rescuer and casualties, especially if it is cold water.

Water depth

A sudden change in water depth may result in a person stepping or falling into deep water beyond their capability.



Entry and exit

Steep, slippery and unstable banks can limit access and exit from the water, and also be a danger to the responders.

You must consider the most effective and safe route, using local knowledge.



Entrapment

Entrapment occurs when a person gets caught on a submerged object or stuck in the mud.

You should never put your feet down if you find yourself caught in the flow of water.




Pollution

Polluted water will be found in a flood environment. This may include sewage water or industrial chemicals. Some pollutants can also be very dangerous to people's health.

Drinking water may also be contaminated, leading to waterborne disease.

Open wounds should, if possible, be covered. People should wash after being in polluted water and equipment should be cleaned after use.



Electricity


In an urban environment responders may be working close to electricity cables as the floodwater rises.

Stay clear of any electrical systems.



Floating debris

Within the flow, moving along with the water are likely to be floating objects. These have the potential to become hazards and can affect the flow of water.




Strainers

Strainers are objects that allow water to pass through but hold larger solid objects. It can be a natural object, such as a tree hanging in the water, or man made, such as gates or railings. In either case, the responders should avoid operating upstream of a known strainer.



Animals

Dangerous animals may be found in the floodwater. Stay alert and keep away if you see any. Warn others if you can.



Visibility

Darkness or poor visibility (caused by fog or cloud cover) can make it very difficult for responders to work in floods. Consider using waterproof lights and reflective material.



Underwater objects

Responders should beware of injuring themselves on dangerous objects such as sharp rocks, broken glass or underwater debris. Foot protection or shoes should be worn where possible.



Unit 4: Equipment



Learning outcomes

- 4.1 Know the correct personal protective equipment to be worn in a flood environment. Be able to put on and adjust personal protective equipment correctly.
- 4.2 Understand the different types of rescue equipment and their uses.

4.1 Personal protective equipment (PPE)

What is PPE?


Personal protective equipment (PPE) will protect the responder against health and safety risks. Due to the large number of hazards in the flood environment, it is important that a responder wears appropriate PPE.

To be effective, it is important that all PPE is the correct size and adjusted to the individual wearing it.

Heavy clothing that absorbs or catches water should not be worn.

You should not enter the water unless it is absolutely necessary.

Rescuer not near the water:



Rescuer wearing correct PPE near the water:



**DO NOT GO
BAREFOOT**

Types of PPE

Buoyancy aid

A buoyancy aid will help keep the responder afloat but will not keep their head out of the water if they become unconscious.


Buoyancy aids are the preferred and most suitable option for responders, as they allow for easy movement in and out of the water.



Lifejacket

There are many different types of lifejackets, including those with manual and automatic inflation. There are also foam lifejackets. A lifejacket is designed so that if you become unconscious it should keep your head above the water and maintain a clear airway. Lifejackets are sometimes larger than buoyancy aids and more difficult to move in. Because of this, they are not recommended for responders.


Ensure that all straps and buckles are done up tightly and minimise the amount of loose ends.



Knife

A sharp knife can be used to free responders and others from entanglement.

It should be stowed in a sheath to avoid personal injury or damage to equipment.



Helmet

A helmet protects the responder's head against:

- striking against stationary objects such as rocks
- falling or moving objects such as boats.

Water rescue helmets are specially designed to allow water to pass through.

You should always use a helmet if it is available to you.



Do not use fire helmets or motorbike helmets as they are heavy and do not allow water to pass through them.

Unit 4: Equipment

Different coloured helmets can be used to identify key personnel when operating in a flood environment.

These colours should be standardised between all the different agencies that might respond to a flood.

Putting on and adjusting PPE

Buoyancy aid

Buoyancy aids come in a wide variety of designs. Some can be put on like a jacket while others are put on over the head and adjusted at the side.

The most important features of any buoyancy aid are that it fits comfortably, allows freedom of movement and gives you flotation, especially if you enter the water.

Make sure that any buckles are done up and straps are pulled tight so that the buoyancy aid fits properly.




Lifeline

When wearing a lifeline it is vital that you fit it correctly, otherwise there is a danger it may come off if you enter the water.

Ensure that any buckles are done up and any webbing straps are tightened.

Tuck away any excess webbing so it does not become a snag hazard.



Helmet

When wearing a helmet make sure it is a comfortable fit around the head. Helmets come in different sizes and they should be adjusted to fit properly. Ensure the chin strap on your helmet is done up securely.

Never use motorcycle or fire helmets to operate in floodwater.



4.2 Rescue equipment


You may have to help someone who has fallen into the water. The casualty will have the best chance of being rescued if you use the right equipment.

Specialist rescue equipment can be very expensive, but equipment can be made locally out of low-cost materials.

Throw bag

A throw bag consists of a length of rope (a throw line) stored inside a quick-release bag.

It is used to rescue casualties in moving water. It is recommended that anybody working in the flood environment has access to a throw bag.




Wading poles

Wading poles can be made out of natural or man-made materials. They are used to check for water depth and underwater hazards while wading.


They can also be used for reach rescues from the water.

A raft paddle or bamboo pole can be used as a wading pole.



Rope


Try and use brightly coloured rope that will float as this will help the casualty and rescuer see the rope on the surface of the water.



Unit 4: Equipment

Floating objects

If you find yourself in the water, a floating object can be used to keep you and a casualty afloat during a rescue. They can also be used for throw rescues.



In some countries, specialist floating objects have been developed that are specifically designed for rescue. However, in areas where specialist equipment is not available, alternative locally sourced equipment may be used.

A floating object should be:


- easy to hold on to
- easy to move through the water
- capable of keeping a person afloat.

An empty water container (at least 5 litres) can easily hold the weight of an adult. Most containers have a handle that a casualty can hold onto in the water.



Rescue raft

A simple, locally produced, stable raft can be used during a rescue.





Learning outcomes

- 5.1 Be able to communicate effectively using hand signals.
- 5.2 Be able to communicate effectively using whistle signals.
- 5.3 Understand the benefits and drawbacks of using radios and mobile phones in a flood.

Unit 5: Communications

Communications

Responders must be able to communicate with other team members and casualties, often over long distances.

Hand signals and whistle blasts are used to attract the attention of other team members and casualties, and to pass on important information.

5.1 Hand signals

It is important that responders understand hand signals to avoid confusion during an emergency. All agencies should use the same signals. The hand signals illustrated below should be used:

Meaning:

OK

Signal:

One hand flat on head (either left or right hand).



Meaning:

DISTRESS

Signal:

One arm raised above the head with a clenched fist.




Meaning:

STOP

Signal:

One arm outstretched in front of chest showing an open palm of the hand.




Meaning:

NEED MEDICAL HELP

Signal:

Both arms crossed in front of the chest.




Meaning:

GO

(in that direction)

Signal:

Pointing with one arm outstretched above horizontal.




Meaning:

HAZARD IN WATER


Signal:

Pointing with one arm outstretched below horizontal.




5.2 Whistle signals


A whistle should be carried by a responder at all times when at a scene. They can be heard over long distances to attract the attention of both a casualty and another responder. Always remember, if a whistle is used too often then its significance will decrease and people will take no notice when it is used.




1 blast – Attention



2 blasts – Attention upstream



3 blasts – Attention downstream



3 blasts, 3 times – EMERGENCY

5.3 Radios/mobile phones

Radios and mobile phones allow good communications between team members. They enable a team to give regular updates to people in charge and other groups.



The communications plan should include the following.

Radio channels

Radios can operate on different frequencies, which are often called channels. To ensure you can communicate clearly it is important to make sure the channel you use is not being used by others in the area. Identify alternative channels in advance so that you can switch to them if necessary.

Call signs

A call sign is a name or number given to each person, team or equipment. Team members should only use allocated call signs. This helps to identify the correct resources and reduces confusion. Using the wrong call sign can result in the message being unnecessarily repeated and also increase the length of the message.

Voice procedure

A voice procedure is used to ensure clarity of spoken communication and reduce misunderstanding. It involves using words with specialised meanings.

Back-up plan

Many things can go wrong with communications. Equipment may stop working or the signal may be lost. A communications plan should always include a back-up plan with alternative communication methods if needed.





Learning outcomes

- 6.1 Understand the factors that affect the stability of boats, rafts and other craft.
- 6.2 Know how to safely get in and out of a boat.
- 6.3 Be able to paddle a boat safely.
- 6.4 Understand what to do during a capsize.

6.1 Stability

Responders should be aware of the limits of the boat/raft they are operating. This will include the maximum number of people and the maximum combined weight of people and equipment that should be carried onboard.



The responders are responsible for making sure the boat/raft is correctly balanced.

Do not overload the boat/raft.

Uneven distribution of weight

The movement of weight around the boat will affect its stability. This weight may be a member of crew, passenger or load. In flowing water there may be occasions when water is moving freely inside the rescue boat. The movement creates instability, which may lead to the boat capsizing.


The responder should ensure that only a minimal amount of water is allowed to collect in the boat, and that the load is evenly distributed.



6.2 Getting in and out of a boat

DO NOT

- step on the edge of the boat
- jump/step across a large water gap.



ALWAYS

- step into the boat
- check the boat remains balanced when a person steps into or out of the boat.

If possible, ensure the boat is secured with ropes to fixed objects on the bank before getting in or out of the boat.



6.3 Paddling techniques

Paddling a boat effectively means that all members of the team must work together.

The team should select a person in charge to lead the group and give directions.

As a rule, the person leading the group should position themselves at the back of the boat.



The team leader should use clear commands to keep the group working together:

- "Paddle left"
- "Paddle right"
- "Paddle forwards"
- "Paddle backwards"
- "Stop paddling"

6.4 Capsize

If a boat capsizes, it is vital to verbally and visually check that all crew are accounted for. All crew must maintain contact with the upturned boat at all times by holding onto any lifelines. If you find yourself under the upturned hull following capsize, exit as quickly as possible while remaining in contact with the boat at all times.

The boat team leader will then make a decision to either:

- **swim to safety** – if hazards are present
- **reright the boat** and paddle to safety – if no hazards are present
- **sit on top** of the upturned boat and ride down the flow to a safer point.

Entrapment


Do not enter a capsized boat unless it is to assist a trapped fellow responder.

If you get trapped, use the air pocket under the boat if available.

If no air pocket is available, act quickly and try to force yourself out from underneath the upturned hull.

To free yourself from under the boat, try pushing away from the boat and reaching for something outside the boat that you could use to pull yourself out with.

If you find yourself trapped and snagged, try to release whatever is snagging you. If you have a knife available, use this to cut yourself free from the snag.



What should you do if you fall in

Communicate with the boat and if safe to do so wait for them to pick you up.

If this is not possible, try and self-rescue using defensive or aggressive swimming.



Learning outcomes

- 7.1 Be able to swim defensively and aggressively in moving water.
- 7.2 Know how to escape from a strainer.
- 7.3 Be able to do a line-astern wade across shallow water.
Be able to do a single-person wade across shallow water.
Be able to do a wedge-shape wade across shallow water.


7.1 What you should do if you enter the water

Where possible, a responder should not enter the water. If a responder falls into the water they should be aware of:

- the dangers of the water and objects under the water
- others in the water who may panic and grab the responder.

Swimming in flowing water is extremely dangerous. However, if you find yourself in water you should attempt to self-rescue using the following techniques:

- defensive swimming
- aggressive swimming.




Defensive swimming

Defensive swimming is designed to reduce the risk of injury and potential foot entrapment.

In the defensive swimming position, the swimmer is on their back with their feet pointed downstream. Their hips are as close to the surface as possible. This position helps to minimise the chance of impact injury in moving water, as the swimmer can fend off objects using their feet.

The arms can be used in a large backstroke action, which slows the swimmer down and allows the swimmer to angle their body so the current can push them in the right direction.



Aggressive swimming

Aggressive swimming techniques can be used to cross river currents, and make rapid progress to a safe area.

To swim aggressively, the swimmer rolls onto their front in the water. The swimmer can now use a more powerful front crawl style stroke to move in the water at a faster rate. They can then use their body to angle themselves to the point of safety.

7.2 Escaping from a strainer

If you cannot avoid a strainer then the safest way to escape is to try to swim over it:

1. Swim strongly towards the strainer.
2. Extend your arms just before reaching the strainer.
3. Grab the strainer and push your body over it, kicking hard at the same time.



7.3 Wading

This can be dangerous in fast flowing water

Line-astern wade

When?


- If it is too dangerous to stay where you are and the water is shallow.

Why?

- Reduces risk to the responders – there is no need to swim.
- Safer than a single-person wade as it provides more stability.

How?

- Follow steps 1 and 2 below.



Step 1

- The group should make a line, with the tallest member at the front, facing upstream, with a stick/pole to test the water depth and feel for underwater objects.



Step 2

- Keep the line tight and slowly move sideways into the river.
- Check for depth and underwater objects.
- Be aware of the dangers underfoot.
- The bottom of the buoyancy aid is the wade limit.

Single-person wade

When?


- If it is too dangerous to stay where you are and the water is shallow.
- If no other people are available.

Why?

- Reduces risk to the responder – there is no need to swim.


How?

- Follow steps 1 and 2 below.



Step 1

- Enter the water carefully. Take a stick/pole with you, if possible, for you to test the water depth and for underwater objects.
- Be aware of the speed of the water, faster moving water will lower your wade depth.



Step 2

- Move slowly across the water, using the stick for support.
- The bottom of the buoyancy aid is the maximum wade limit.
- If you start to float in the flow of water, consider using the defensive swimming position and look for safe exit points.

Wade rescue – wedge

When?


- If it is too dangerous to stay where you are and the water is shallow.

Why?

- Reduces risk to the responders – there is no need to swim.
- Safer than a single-person wade.


How?

- Follow steps 1 and 2 below.



Step 1

- The group should make a wedge shape, with the tallest member of the team at the front, facing upstream, with a stick/pole to test the water depth and feel for underwater objects.



Step 2

- Keep the wedge tight and slowly move sideways into the river.
- Check for depth and underwater objects.
- Cross the river slowly.
- The bottom of the buoyancy aid is the wade limit.

Unit 8: Rescuing others



Learning outcomes


- 8.1 Know the level of risk associated with the different types of rescue.
- 8.2 Be able to do a shout and signal rescue.
- 8.3 Be able to do a reach rescue.
- 8.4 Be able to do a throw rescue.

8.1 Flood rescue options

When deciding which method of rescue to use, you should work through the sequence starting with the lowest risk (Shout) until you find a suitable one.

The 'Row' and 'Swim' rescue methods are not suitable for Flood Safety.

Ensure that only those who have received an appropriate level of training attempt to conduct the advanced Row and Swim rescue options.

Type of rescue	Level of risk	Level of training	
Shout	Low risk	Flood Safety and Flood Rescue	
Reach		Flood Safety and Flood Rescue	
Throw		Flood Safety and Flood Rescue	
Wade		Flood Safety and Flood Rescue	Entering the water puts you at a higher risk.
Row		Flood Rescue	
Swim		Highest risk	

8.2 Shout and signal rescue

When?

- When the person in trouble is close to shore.

Why?

- It requires no equipment and the responder stays out of danger.


How?

- Follow steps 1 and 2 below.



Step 1

- Get the attention of the person in the water.



Step 2

- Use your voice and hand signals to encourage the person to swim to the side.

8.3 Reach rescue

When?


- When the person in trouble is close to shore.

Why?

- It is the safest type of rescue when the person cannot swim and you have equipment.

How?

- Follow steps 1 and 2 below.



Step 1

- Reach the person using a long rigid object, such as a stick or pole.
- Stay low on the ground so that the person cannot pull you into the water.



Step 2

- Pull the person to the side.

8.4 Throw rescue – with a floating object

When?


- If the person in trouble is close to shore but too far away from the shore to conduct a reach rescue.

Why?

- Reduces the risk to the responder – there is no need to swim.


How?

- Follow steps 1, 2, 3 and 4 below.




Step 1

- Attract the attention of the person in trouble.
- **Remember to adjust your throw to take into account the wind and flow of water.**



Step 2

- Throw a floating object, such as a rope or water container, to the person. If possible, attach a line to the floating object to help pull the casualty to the bank.



Step 3

- Tell the person to kick their legs and swim to the side.



Step 4

- Help the person out of the water.

Throw rescue – with a throw bag

When?


- If the person in trouble is close to shore but too far away from the shore to conduct a reach rescue.

Why?

- Reduces the risk to the responder – there is no need to swim.

How?

- Follow steps 1, 2, 3 and 4 below.



Step 1

- Remove some line from the throw bag.
- Hold the end of the line in one hand and hold the throw bag in the other hand.

Step 2

- If in flowing water, identify a suitable area downstream to land the casualty.
- Make eye contact with the casualty and shout: "Hold the rope!"



Step 3

- Throw the bag, aiming beyond the casualty (see Types of throw on next page).
- Be prepared for the pull on the rope and brace with your feet.

Step 4

- If needed, repack the rope into the bag quickly and throw again. Otherwise, help the person out of the water.

Unit 8: Rescuing others

Throw bag – types of throw


There are a number of different ways to throw a throw bag. Each must be practised regularly to ensure the responder can competently use them.



Underarm

An underarm throw is generally the most accurate in calm conditions. However, it is also the slowest.

It is also the throw with the most height so an underarm throw may be affected by the wind and overhanging objects such as trees or electrical cables.



Side swipe

A side swipe is used to avoid overhanging objects or bridges.



Overarm

With practice, an overarm throw may be more accurate than an underarm throw or side swipe. It can also be used if the responder is standing in deep water.

Care should be taken when using an overarm throw in environments with low hanging objects.

Receiving a throw bag

To minimise the likelihood of entrapment, the casualty should be encouraged to:

- hold onto the line or bag with both hands
- lie on their back
- hold the line over the shoulder opposite to the responder to help swing towards the responder.



Throw bag – from a boat

Throw bag rescues from a boat follow the same principles as those carried out from the side of the bank. They differ only in the fact that the boat is a moving platform that requires the following additional considerations:

- The boat should be positioned downstream of the casualty so that the crew can maintain a constant view of where they are going.
- The person throwing the bag must be in the front of the rescue boat and should avoid standing up. This is to make sure that the person maintains their own stability.
- The person should use an overarm throw to throw the bag.

